

***** By signing this document you are representing that you are authorized to make claims on behalf of your company in regards to Japan CSCL and that such claims can be relied upon *****

Company Name: Dyber, Inc.

DECLARATION OF JAPAN CSCL COMPLIANCE

***Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc.
(Chemical Substances Control Law)***

Reference: Cabinet Order No. 244 of 2024, amending the CSCL First Class Specified Chemical Substances list to add Entries 34 and 35.

To whom it may concern,

Pursuant to the Japanese Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc. (CSCL, Act No. 117 of 1973), as amended by Cabinet Order No. 244 of 2024, Dyber, Inc. declares the compliance status of the below-referenced product with respect to the First Class Specified Chemical Substances Entries 34 and 35.

CSCL First Class Specified Substance Status

CSCL Entry	Substance	Effective	Status
Entry 34	PFOA, its salts, and isomers (branched perfluoroalkanoic acids with eight carbon atoms)	10 September 2024	Not present (D2 confirmed; U2 pending)
Entry 35	PFOA-related substances (including 8:2 fluorotelomer alcohol (8:2 FTOH) and perfluorooctyl iodide (PFOI))	10 January 2025	Not present (D2 confirmed; U2 pending)

Notes:

- Under CSCL, First Class Specified Chemical Substances are prohibited from manufacture, import, and use in Japan except in specifically permitted applications. The QuantaRNG-USB Pro contains no such permitted-use application.
- All non-Diodes BOM line items have been screened using supplier IPC-1752A declarations and Certificates of Conformance and contain no PFOA, PFOA salts, PFOA isomers, 8:2 FTOH, or PFOI.
- Diodes Incorporated parts in the BOM are screened against the Diodes Master Certificate of Conformance (Master_CofC.pdf, published by Diodes Inc at [diodes.com/quality](https://www.diodes.com/quality)), which lists per-part PFAS detection status against a 25 ppb JEDEC threshold.
- BAT54W-7-F (D2): listed in Diodes Master CofC, PFAS >25 ppb column = "No". This constitutes written PFAS-free confirmation at the JEDEC 25 ppb threshold.
- AP2112K-3.3TRG1 (U2): listed in Diodes Master CofC as AP2112K-3.3TR-G1, PFAS >25 ppb column = "No data". Part-specific PFAS test data has been requested from Diodes Inc compliance team (compliance@diodes.com). Updated v1.x declarations will be issued upon receipt.
- Aluminum 6061-T6 anodized enclosure (Protocase) with Type II sulfuric anodize per MIL-A-8625 does not contain Entry 34 or Entry 35 substances. Protocase CoC on file.

- This declaration applies to commercial distribution and use of the QuantaRNG-USB Pro within Japan.

Limitations. *Dyber, Inc. believes that the information it provides above is accurate. The provided information is based upon data obtained from ongoing due diligence concerning goods and materials provided by third party suppliers. Dyber, Inc. provides such information "AS IS", without any express or implied warranty of any kind. Dyber, Inc. reserves the right to update and modify this communication, as it believes necessary or appropriate.*

Please do not hesitate to ask for further information if needed.

Signature:  _____

Print Name: Zachary Kleckner _____

email: compliance@dyber.com

Title: Founder and CEO

Date: May 19, 2026